

For the modern audiophile, every detail matters.

At Omicron Group, we believe that the journey to sonic perfection begins at the very source: not just how vibrations propagate, but also the way electrons dance through your system.

Backed by decades of research, original patents, and the enthusiasm of audiophiles, our latest products unlock the full potential of your hi-fi equipment and deliver an immersive listening experience that is both scientifically sound and emotionally captivating.



Decoupling Feet

Designed to stabilize and fine-tune the sonic performance of your High-End Audio system, our decouplers minimize vibrations of every kind and maximize the purity of your sound.

Made of Delrin® and Gold or Platinum Plated Brass, each material ensures different benefits.



Cable Holders

Cables suffer from the "Skin Effect", which creates electromagnetic fields that degrade current flow. Thanks to our patented sphere design, our cable holders improve electrical signal transmission, positively influencing the current's characteristics and sound.



Electromagnetic Modulators

Drawing on the principles of electromagnetic modulation, our innovative devices allow you to adjust the waveform of your system's energy flow, ensuring a dynamic and responsive soundstage that brings your favorite music to life.



Vibration Stabilizers

Experience unparalleled sound refinement with our adjustable vibration stabilizers.

By dissipating varying levels of energy to your will, they allow you to precisely fine-tune your sound from a more detailed, crisp output to a warmer, richer tone.

Magic Dream – MD -G10



First Delrin feet that use an oscillating system with 5 spheres inside

Diameter 60 mm - Height 32 mm

Weight capacity: 25 kg max each

Cena - 990 PLN komplet 3 szt. ----- 1300 PLN komplet 4 szt.

Magic Dream - MD-G20-R



Height-adjustable

Diameter 65 mm -- Height - minimum 36 mm - maximum 42 mm

Maximum weight capacity: 25 kg each

Cena - 1200 PLN komplet 3 szt. ----- 1600 PLN komplet 4 szt.



MAGIC DREAM DECOUPLER FEET

The positioning of the Magic Dream decoupler feet, should be done inside the perimeter of the original feet. They should be placed in a triangle and in a relative distance of about 20cm. At least one of the feet should be placed below the transformer or in the area where most of the weight of the equipment is concentrated. The component should swing with the lightest touch. The Magic Dream decouplers are suggested even below the external power supply or power filters. With the Magic Dream decouplers You can also make an anti seismic bases.

DECOUPLER REFERENCE DELRIN Code MD4532 RE

Cena 1200 PLN - komplet 3 szt.


The decoupler material, made in polymer "Derlin," performs high mechanical standards and includes spheres in golden-plated steel large 16 mm.

The Decoupler M.D. Reference, it is positioned under the electronics, the feeder and network stabilizers as well as under the multiple electrical plugs improve the music scene by deepening the sound stage and separating improving sound and the various music instruments in the sound stage.

The Decoupler has got the sphere internally closed which simplifies the for montage and ease of positioning.



Dimensions D50 mm -height 34



GOLD AND PLATINUM

Mauro Mauri has been the first - back in the late 90s - to conceive and patent the now well-known and effective accessories designed to reduce vibrations transmitted through a hi-fi system, the widely recognized "Magic Dream" series.

While most audio manufacturers at the time focused on cables and dissipation feet with an approach that focused primarily on aesthetic, Omicron took a more scientific route, patenting solutions based on the laws of physics and on the use of carefully selected materials.



X5 - REFERENCE

Code **MD5042DE**

The Decouplers X5 Reference are adjustable in height 6 mm.

Cena

1800 PLN komplet 3 szt.

2400 PLN komplet 4 szt.

Diameter 55mm - Height - Min from 42mm to Max 48mm -



ENERGY 3.0 - DELRIN

Code **MD6040EN**

Energy 3.0 delrin decouplers- made of Delrin polymer material, with central brass ring and various chrome finishes.

Cena

1750 PLN komplet 3 szt.

Diameter 60 mm Height 40mm



ENERGY 3.0 – G&P

Code **MD6040G&P**


Energy3.0 G&P decouplers - with Brass material ring and various chrome finishes.

Cena

3800 PLN komplet 3 szt.

4250 PLN komplet 4 szt.

Diameter 60 mm Height 40mm



QUALITY AUDIO tel. 603 987 280 e-mail: qualityaudio@wp.pl




X2 - decouplers – G&P

Code **MDX30G&P**

Decouplers - with Brass material ring and various chrome finishes.
Single level decoupling decouplers with 3 balls.

Cena
2300 PLN komplet 3 szt.
3000 PLN komplet 4 szt.
Złote wykończenie +10%

Diameter 60 mm Height 30mm



X3 - decouplers – G&P

Code **MDX40G&P**

Decouplers- with ring in brass material and various chrome finishes.
2-level decoupling decouplers with 3 balls for each level.

Cena
3200 PLN komplet 3 szt.
4300 PLN komplet 4 szt.
Złote wykończenie +10%

Diameter 60 mm Height 40mm




X4 - decouplers – G&P

Code **MDX50G&P**

Decouplers - with ring in brass material and various chrome finishes.
2-level decoupling decouplers with 3 balls for each level.
HEIGHT ADJUSTABLE: Min 44mm - Max 50 mm

Cena
4550 PLN komplet 3 szt.
6000 PLN komplet 4 szt.
Złote wykończenie +10%

Diameter 65 mm - Height Min 44 mm



X6 - decouplers – G&P

Decouplers - with Brass material ring and various chrome finishes. Single level decoupling decouplers with 6 balls.



Diameter 65 mm Height 40mm

Cena

5550 PLN komplet 3 szt.

7400 PLN komplet 4 szt.

Złote wykończenie +10%

Code **MDX6540G&P**

X6-A - decouplers – Height Adjustable

Decouplers - with ring in brass material and various chrome finishes. 1-level decoupling decouplers with 6 balls for each level.



Diameter 65 mm Height 50 mm **HEIGHT ADJUSTABLE: Min 50 mm - Max 55 mm**

Cena

6750 PLN komplet 3 szt.

9000 PLN komplet 4 szt.

Złote wykończenie +10%

Code **MDXA 6550-G&P**

X6-B - decouplers – Height Adjustable

Decouplers - with ring in brass material and various chrome finishes. 1-level decoupling decouplers with 3 balls for each level.



Diameter 65 mm Height Min 50 mm **HEIGHT ADJUSTABLE: Min 50 mm - Max 55 mm**

Cena

6750 PLN komplet 3 szt.

9000 PLN komplet 4 szt.

Złote wykończenie +10%

Code **MDXB 6550-G&P**

European Price List 2025

VIMANA Code.VI8050

Diameter -under 80mm - over 40 mm

Adjustable Height: min 50mm –max-55 mm

(Height adjustable 5 mm) - Ceramic ball - Weight - 0. 350Kg each



Cena 7400 PLN komplet 4 szt.

Optional Model - Gold finish Code.VI8050

Diameter -under 80mm - over 40 mm Adjustable Height:

min 50mm –max-55 mm

(Height adjustable 5 mm) - Ceramic ball - Weight - 0. 350Kg each



Cena 9000 PLN komplet 4 szt.

QUALITY AUDIO tel. 603 987 280 e-mail: qualityaudio@wp.pl

www.omicrongroup.net

All pricing is in PLN

Analog

Elevate your turntable experience with our exquisitely engineered clamp, designed to double as an energy heatsink. Crafted from premium brass and bakelite with sumptuous gold-plated finishes, this classic clamp combines timeless aesthetics with innovative sound technology.

Featuring the cutting-edge Omicron Magic Dream energy dissipation system, it enhances the precision of your turntable's needle, delivering sound with exceptional accuracy and dynamic clarity compared to baseline. Enjoy an enriched soundstage, precise low-frequency performance, and refined micro-details that bring your vinyl collection to life.

DECOUPLER CLAMP TURNTABLE

Code CL08042

Cena 950 PLN szt.

The Stabilizer for turntable be positioned above of the vinyl disk.

It improves the precision of the of the head needle stylus, reading better by making the sound more exact and dynamic.

The whole music spectrum is enhanced.

This squanderer exhibits precision on low range and improvements of the micro details.

diameter 80 mm

height 43 mm





Extra Weights for Clamps in Delrin



PP6010 --- Clamp Weight 150g

Cena - 375 PLN szt.



PP6016 --- Clam Weight 250 g

Cena - 475 PLN szt.



CLAMP FOR TURNTABLE LUXURY

code - CLA 8065 G&P

Clamp for turntable with function of energy heatsink. Made of precious materials such as brass and bakelite. The finishes are of high standard with gold plating. Uses the Omicron Magic Dream energy dissipation system.

It improves the precision of the of the head needle stylus , reading better by making the sound more exact and dynamic.

It is positioned as a classic "Clamp" (over vinyl record) and you get an improvement on sound by increasing the precision and dynamics of the sound stage.

Its use will provide excellent precision on the low range and improved micro detail.

diameter 80 mm
height 68 mm



Cena 3750 PLN szt.

POWER BOOST

Code: PW5452

Variable 3 level vibration absorber Usage:

Power Boost is a variator of electromagnetic fields that are generated by the passage of electric current.

By adjusting a lateral pin in 3 separate sectors, a variation of the magnetic field is obtained by modifying the sound.

Usage:

Is applied above:

electronics - electric current filters - multi-sockets - over, current stabilizers and over, above our omicron cable holders.

Can be used as a vibration absorber above loudspeakers.

Diameter 54 mm Weight 0.600 Kg
Height 52 mm



Cena 3300 PLN szt.

TESLA

"Tesla Is a variable electromagnetic waves generated by the passage of current in an electrical connection cable". It is based on the fundamental principles " by quantum mechanics, quantum physics and quantum electrodynamics." The scientific basis of TESLA is founded on the theory and quantum field theory is identified in Wave Field, the Lorentz force, the wave model of the effect Compton in the creation and change of pairs of Dalitz and evolving spherical.

In TESLA are inserted (in the two heads tighten cable) two pairs each of "disks with holes spiral section Aurea Silvery" which vary by rotating the magnetic emission of two powerful magnets. Varying the magnetic field of attraction varies the Lorentz force and consequently, the relativistic Doppler effect, and then varies the "frequency of the electromagnetic radiation" in the connection cable.

Over the top the head "TESLA", there are positioned two other discs with slots at the spiral that they also in turn vary the emission of the higher magnetic field ("Opposed to the internal") "which it interacts on the resonant frequency of the couples Dalitz and involute Spherical.

code TESLA 160170
diameter 160 mm
height 170 mm

Cena - 11100 PLN - szt.



QUALITY AUDIO tel. 603 987 280 e-mail: qualityaudio@wp.pl



CABLE-HOLDER – **SPECIAL**

Code **SCH100180**

Support stabilizer for cable vibrations. It is made in polymer "Derlin, and performs high mechanical standards.

The stabilizer, used inside the electrical cables, improves the focus

Also the acoustic scene and makes the sound faster and more dynamic. Used with the signal cables (CD, pre-amp, power end, ect.)

It improves the nature of the sound, micro details.

Used with the connection cables of the loudspeakers it increases the sonic impact of the acoustic scene by making the musical transient more incisive and real.

Cena - 1850 PLN szt.

Diameter 100mm - Height 130mm

CABLE – HOLDER – **EVOLUTION**

Code **CH80145**

Cable vibration support stabilizer - **height adjustable**. It is made of "Derlin" polymer, and guarantees high mechanical standards.

The stabilizer, used inside the electrical cables, improves the focus of the acoustic scene and makes the sound faster and more dynamic.

Used with signal cables (CD, pre-amp, power end, etc.), it improves the nature of the sound and increases the "Micro Detail". Used with speaker connection cables it increases the sonic impact of the acoustic scene making the musical transitory more incisive and real.

Diameter 100mm – Height- from 130 mm - to 175 mm



Cena - 1850 PLN szt.

CABLE HOLDER SPECIAL - CERAMIC BALL

Code: SCH 100180

SPECIAL - cable holder, vibration stabilizer -, made of "Derlin" polymer with high mechanical performance. The system allows to dissipate energy produced by the vibrations of the electric current. The SPECIAL cable holder model has "CERAMIC BALLS" to have the maximum sensitivity of vibration dissipation.

USE:

- 1) Used in power cables the cable increases the focus of the acoustic sound and makes the sound faster and more dynamic, improves the low range with greater precision with an increase in micro-details.
- 2) Applied to the signal cables (CD, Preamplifier, Power cable, etc.) it improves the naturalness of the sound with greater focus and improved Micro Details.
- 3) Connected to the acoustic speaker cables increases the dynamics of the acoustic scene, making the musical transients more incisive and realistic .

The Special cable holder can accommodate cables with a diameter between 5 and 35 mm.

Diameter 100 mm Weight 1.100 Kg

Height 180 mm

Cena 2250 PLN szt.



CABLE STABILIZER - FARADAY

Code SC164150

Cable support, vibration stabilizer , made of "Derlin" polymer with high mechanical performance.

The Evolution system with double swinging effect consisting of a 160mm base with one 100mm central support . The system that allows cancelling the energy of dissipation vibration is which are whit in vibration counterphase .

USE:

- 1) Used in current wires cable increases acoustic sound focusing and makes the sound more fast and dynamic, improves the low range with more precision with an increase in micro-details .

- 2) Applied to signal cables (CD, Preamplifier, Power cable , etc.) improves the naturalness of the sound with more focus and improved Micro Detail.

- 3) Connected to the acoustic speaker cords increases the dynamics of the acoustic scene, making music transients more incisive and realistic.

USE of utilization :

Rotating the golden ring external , (positioned above the Faraday cable-stabilizer), allows us to vary the oscillations and consequently it will also alter the energy dissipation.

This allows us to tuning the sound to your personal needs and allows us to optimize and tuning the sound in the listening room.

Changing turning the position of the golden ring, you can vary the nuances of the sound making it more natural, dynamic, and precise.

The Faraday can host cables of a diameter between 5 and 40mm

It bears one supports and hood . These supports there are cutaway cuts , are in a corner of 90°. One of the supports is able to host cables between 5 and 25mm, the other between 20 and 40mm

On top of the head there are 3 round concave able to host some 3 spheres (optional) and You can add on it more " stabilizer-Classic or harmonic-stabilizer". This permits an additional best stage of sound calibration tuning

Diameter 160 mm

Height 150 mm

Cena 3400 PLN szt.





Cable Holder Flat



Magnetic and NON-Magnetic versions available

Vibration Stabilizer for Flat Cables size: Base Diameter: 100 mm; Height: 180 mm ; Weight: 1.2 kg

Technical Specifications

Dual Oscillating Base: Featuring a dual oscillating mechanism with six spheres per base (12 spheres total), it optimizes vibration damping for improved stability.

Precision Cable Slot: The upper section incorporates a 7 mm cutout, perfectly tailored for flat cable integration.

Adjustable Regulation Mechanism: Equipped with two round adjusters on each side, the mechanism secures flat cables with thicknesses ranging from 3 mm to 7 mm, ensuring a custom fit.

Cable Accommodation: Designed to secure flat cables, this holder can accommodate cables up to 100 mm in height and 7 mm in thickness.

Innovative Design: The cable holder comprises two robust bases and an upper section engineered to secure flat cables effectively.

Usage and Audio Benefits

Enhanced Audio Performance: By suspending the flat cable and preventing contact with the floor, the stabilizer improves the soundstage—delivering focused instrument separation, enhanced vocal clarity, increased micro-detail, and a refined low-frequency response with deeper bass. **Compatibility:** Ideal for all types of flat connection cables, including signal, power, and speaker power cables. **Optimized Installation:** While a single cable holder provides noticeable improvement, employing multiple units to suspend the entire cable further maximizes performance and stability.

Cena

Magnetic version - 4700 PLN szt.

Non-magnetic version - 2900 PLN szt.

Product Code: Fla 100180

QUALITY AUDIO tel. 603 987 280 e-mail: qualityaudio@wp.pl

www.omicrongroup.net

All pricing is in PLN

STABILIZER VIBRATION

Step into a world where design meets science and every component plays its part in creating a symphony of pleasure for the ears and the eyes.



HARMONIC - STABILIZER
Code HS10060

Cena - 1350 PLN szt.

The Harmonic Stabilizer has variable oscillation frequency which allows the harmonization of the sound to personal preferences. The rotation of the gold plated ring the energy dissipation can be changed. Pressing with both thumbs it is possible to turn the ring clockwise or counter-clockwise. This device, positioned above the electronics, above the loudspeaker, above the energy transformers etc, makes the sound faster, more focused and natural. Also the positioning of the device allows the refraction of the sound and an additional clarity of acoustic scene and the sound levels. All stabilizers might be stacked (two or more) to increase the dissipation of energy that allows to optimizer the sound fine-tuning in the room.

Diameter 100 mm
Height 60 mm



QUALITY AUDIO tel. 603 987 280 e-mail: qualityaudio@wp.pl

www.omicrongroup.net

All pricing is in PLN

OMICRON GROUP



A2 –HARMONIX - STABILIZER

Product Overview

The A2 harmonic stabilizer has a variable oscillation frequency that allows you to harmonize the sound according to personal preferences.

It is adjusted by rotating the ring positioned above and changes the sound based on the variation in energy dissipation.

Optimal Placement:

The harmonic stabilizer should be placed above electronic components, CD players, preamps, amplifiers, speakers, power supplies, etc.

Diameter 110mm - Height 60 mm

Code **A2 -11053**



Cena - 2200 PLN szt.

X1 –HARMONIX - STABILIZER –TOP

Product Overview

The TOP X1 harmonic stabilizer has a variable oscillation frequency that allows you to harmonize the sound according to personal preferences.

It is adjusted by rotating the central ring and the ring positioned above and changes the sound based on the variation in energy dissipation.

Optimal Placement:

The harmonic stabilizer should be placed above electronic components, CD players, preamps, amplifiers, speakers, power supplies, etc.

Diameter 110mm - Height 75 mm

Code **ST11053**



Cena - 3300 PLN szt

QUALITY AUDIO tel. 603 987 280 e-mail: qualityaudio@wp.pl

ACOUSTIC TUNER straight

Code **AC4060**

The device must be screwed on to STABILIZER X1 TOP, X2 and HARMONIC STABILIZER.

WHAT IT DOES - Works like an acoustic resonator improving the naturalness of the sound.

FEATURES Once (screwed on the above-mentioned stabilizers) and positioned above loudspeakers, works like an acoustic refractor improving acoustic scene in the listeningroom, further improving sound



Cena - 462 PLN szt.

ACOUSTIC TUNER round

Code **AC6060**

The device must be screwed on to STABILIZER X1 TOP, X2 and HARMONIC STABILIZER.

WHAT IT DOES - Works like an acoustic resonator improving the naturalness of the sound.

FEATURES Once (screwed on the above-mentioned stabilizers) and positioned above loudspeakers, works like an acoustic refractor improving acoustic scene in the listeningroom, further improving sound



Diameter 60mm Height 60 mm

Cena - 462 PLN szt.

QUALITY AUDIO tel. 603 987 280 e-mail: qualityaudio@wp.pl

Antismic Stabilizer Base

Product Overview

The WI-FI Stabilizer is engineered using a dual-layer sandwich structure composed of two high-grade Delrin plates. Between these layers, six precision spheres are strategically positioned to absorb vibrations and maintain a fixed oscillation frequency. This design enables fine-tuning of sonic characteristics, allowing users to harmonize sound performance according to personal preferences.

Optimal Placement

The WI-FI Stabilizer is ideal for use under compact electronic devices where traditional feet cannot be installed.

Recommended applications include:

- WI-FI routers and network switches
- Small speakers and desktop audio gear
- Power supplies and DACs
- Any lightweight component sensitive to vibration (max weight 40Kg)

By isolating these devices from surface-borne vibrations, the stabilizer enhances clarity, reduces noise interference, and supports a more refined listening experience.



Diameter 100 mm - Height 30 mm

Code **BA10030**

Cena - 1100 PLN szt.